



Hazen and Sawyer
498 Seventh Avenue, 11th Floor
New York, NY 10018 • 212.539.7000

January 5, 2023

Liberty Utilities (New York Water) Corp. – Dykeer Operations District
PWS ID No. NY5920065
MCL Deferral for PFOA and PFOS
Quarterly Report – Fourth Quarter 2022

Introduction

On behalf of Liberty Utilities (New York Water) Corp. (Liberty), Hazen & Sawyer is providing this document in accordance with the requirements of the New York State Department of Health (NYSDOH) for public water suppliers who have been granted deferrals from maximum contaminant level (MCL) violations for PFOA and PFOS. Liberty was originally granted an MCL deferral for PFOA and PFOS in January of 2021 due to its proactive efforts toward the implementation of treatment for these compounds. Subsequently, Liberty was approved for a deferral extension in December of 2021 to December 25, 2022 due to regulatory review time and supply chain delays.

The enclosed is a report describing Liberty’s progress towards maintaining the highest quality of water for their customers and meeting the deadlines set forth in the deferral approval. The project schedule is contained in **Attachment A**.

Corrective Action Plan Milestones

Dykeer GAC Treatment

The Dykeer granular activated carbon (GAC) treatment project reached final completion and treatment was placed into service in the fourth quarter of 2022.

The GAC treatment vessels were approved for use by the Westchester County Department of Health (WCDOH) on October 21, 2022 following WCDOH’s on-site inspection of the project on October 19, 2022 and are currently treating the water for the system as of December 6, 2022. We anticipate issuance of the Approval of Completed works for the project by WCDOH upon submission of final as-built drawings in January 2023. Final site restoration and landscaping were completed as well in the fourth quarter of 2022.

Since the GAC treatment system is operational, the Dykeer system no longer trucks in water to supplement the supply and blend down the contaminants at the system entry point.

Public Notification

Public notification was given in the form of an email to the Homeowners Association. In addition, Liberty has uploaded this quarterly report to their website. Documentation of public notification is contained in **Attachment B**.

Analytical Sampling

Samples for the wells for which deferrals were granted (#1, #3, #4, & #6) and entry point were collected during the fourth quarter of 2022 on October 30, 2022. The results are contained in the table below. These results are from before the in-service date for the treatment of December 6, 2022. Full laboratory reports for each sample are contained in **Attachment C**.

Q4 2022 PFOA/PFOS Water Quality Monitoring Results (ng/l or ppt)

Location	Date Sampled	PFOA	PFOS
Well #1	10/30/2022	8.70	12.90
Well #3	10/30/2022	14.60	10.50
Well #4	10/30/2022	19.80	14.20
Well #6*	N/A	N/A	N/A
Entry Point	10/30/2022	10.10	5.71


*Well 6 Disconnected

Conclusion

As demonstrated above, Liberty has successfully completed this project and placed treatment into service to comply with the requirements put forth by the NYSDOH. Liberty looks forward to providing higher quality water to their Dykeer customers.

Should you have any questions, please contact me via email at KBarrett@hazenandsawyer.com or via phone at (917) 359-6809.

Very truly yours,



Kristen Barrett, PE
Associate Vice President

Enclosure: Attachment A – Updated Project Schedule
Attachment B – Public Notifications
Attachment C – Laboratory Reports

cc: B. Rogers, P.E. (NYSDOH)
D. Taylor (WCDOH)
W. Schneider (WCDOH)
C. Alario (Liberty)
J. Kilpatrick (Liberty)
C. Peters (Liberty)

ATTACHMENT A

Project Schedule

ATTACHMENT B

Public Notifications

Christopher Peters

From: Christopher Peters
Sent: Thursday, December 8, 2022 9:39 AM
To: Robert Agostinelli
Subject: RE: TWH - Report for Restoration of Wells

Good Morning,

List of projects and status below

- GAC Treatment has been completed, including restoration. We put that system online this week and will be completing final punch list items and receiving final completed works approval shortly.
- New well and emergency main replacements were completed, including restoration.
- Two new wells in the DEC wetlands area have been tested and that report currently sits with the Westchester department of health. Waiting on their review and comments at the moment. Our intention is to begin work in 2023 to connect those wells.

Christopher Peters | [Liberty Utilities](#) | Engineering Project Manager
P: 516-632-2226 | C: 484-707-6797 | christopher.peters@libertyutilities.com
60 Brooklyn Ave, Merrick, NY 11566

From: Robert Agostinelli <ragostinelli@hudsonvalleymgt.com>
Sent: Friday, December 2, 2022 4:01 PM
To: Christopher Peters <Christopher.Peters@libertyutilities.com>
Subject: TWH - Report for Restoration of Wells

Hi Chris,

I have an annual meeting next week for the Willows in which I will have a presentation for the community on day-to-day maintenance. Since the restoration project is ongoing and I have not been a part of the account throughout the Summer, would you be able to provide me an update to what has been accomplished this year and when the project is expected to be completed. As well as plan for the upcoming year.

Best,

Robert J. Agostinelli

Robert Agostinelli
Account Executive
Hudson Valley Community Management
225 Veterans Road, Suite 203
Yorktown Heights, NY 10598
Telephone: 914-234-0300
Fax: 914-752-3604

ATTACHMENT C

Laboratory Reports



ANALYTICAL REPORT

Lab Number:	L2261019
Client:	Environmental Consultants PO Box 3148 Poughkeepsie, NY 12603
ATTN:	Kenny Sabia
Phone:	(845) 486-1030
Project Name:	DYKEER WATER
Project Number:	5920065
Report Date:	12/08/22

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA030), NH NELAP (2062), CT (PH-0141), DoD (L2474), FL (E87814), IL (200081), LA (85084), ME (MA00030), MD (350), NJ (MA015), NY (11627), NC (685), OH (CL106), PA (68-02089), RI (LAO00299), TX (T104704419), VT (VT-0015), VA (460194), WA (C954), US Army Corps of Engineers, USDA (Permit #P330-17-00150), USFWS (Permit #206964).

320 Forbes Boulevard, Mansfield, MA 02048-1806
508-822-9300 (Fax) 508-822-3288 800-624-9220 - www.alphalab.com



Project Name: DYKEER WATER
Project Number: 5920065

Lab Number: L2261019
Report Date: 12/08/22

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2261019-01	WELL 1	DW	Not Specified	10/30/22 04:30	11/01/22
L2261019-02	WELL 3	DW	Not Specified	10/30/22 04:35	11/01/22
L2261019-03	WELL 4	DW	Not Specified	10/30/22 04:40	11/01/22
L2261019-04	ENTRY POINT	DW	Not Specified	10/30/22 04:50	11/01/22
L2261019-05	FIELD BLANK	DW	Not Specified	10/30/22 05:00	11/01/22

Project Name: DYKEER WATER
Project Number: 5920065

Lab Number: L2261019
Report Date: 12/08/22

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: DYKEER WATER
Project Number: 5920065

Lab Number: L2261019
Report Date: 12/08/22

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.


L2261019-01 through -04: The 1,4 Dioxane via EPA 522 analysis was cancelled.

Sample Receipt

L2261019-01 through -05: The collection date was obtained from the container labels.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:



Michelle M. Morris

Title: Technical Director/Representative

Date: 12/08/22

ORGANICS

SEMIVOLATILES

Project Name: DYKEER WATER
Project Number: 5920065

Lab Number: L2261019
Report Date: 12/08/22

SAMPLE RESULTS

Lab ID: L2261019-01
 Client ID: WELL 1
 Sample Location: Not Specified

Date Collected: 10/30/22 04:30
 Date Received: 11/01/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Dw
 Analytical Method: 136,533
 Analytical Date: 11/11/22 14:48
 Analyst: LV

Extraction Method: EPA 533
 Extraction Date: 11/10/22 17:38

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by EPA 533 - Mansfield Lab						
Perfluorobutanoic Acid (PFBA)	9.42		ng/l	1.99	0.663	1
Perfluoro-3-Methoxypropanoic Acid (PFMPA)	ND		ng/l	1.99	0.663	1
Perfluoropentanoic Acid (PFPeA)	7.43		ng/l	1.99	0.663	1
Perfluorobutanesulfonic Acid (PFBS)	7.94		ng/l	1.99	0.663	1
Perfluoro-4-Methoxybutanoic Acid (PFMBA)	ND		ng/l	1.99	0.663	1
Perfluoro(2-Ethoxyethane)Sulfonic Acid (PFEESA)	ND		ng/l	1.99	0.663	1
Nonafluoro-3,6-Dioxaheptanoic Acid (NFDHA)	ND		ng/l	1.99	0.663	1
1H,1H,2H,2H-Perfluorohexanesulfonic Acid (4:2FTS)	ND		ng/l	1.99	0.663	1
Perfluorohexanoic Acid (PFHxA)	5.28		ng/l	1.99	0.663	1
Perfluoropentanesulfonic Acid (PFPeS)	ND		ng/l	1.99	0.663	1
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3-Heptafluoropropoxy]-Propanoic Acid (HFPO-DA)	ND		ng/l	1.99	0.663	1
Perfluoroheptanoic Acid (PFHpA)	2.38		ng/l	1.99	0.663	1
Perfluorohexanesulfonic Acid (PFHxS)	2.30		ng/l	1.99	0.663	1
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	ND		ng/l	1.99	0.663	1
1H,1H,2H,2H-Perfluorooctanesulfonic Acid (6:2FTS)	ND		ng/l	1.99	0.663	1
Perfluorooctanoic Acid (PFOA)	8.70		ng/l	1.99	0.663	1
Perfluoroheptanesulfonic Acid (PFHpS)	ND		ng/l	1.99	0.663	1
Perfluorononanoic Acid (PFNA)	0.715	J	ng/l	1.99	0.663	1
Perfluorooctanesulfonic Acid (PFOS)	12.9		ng/l	1.99	0.663	1
9-Chlorohexadecafluoro-3-Oxanonone-1-Sulfonic Acid (9Cl-PF3ONS)	ND		ng/l	1.99	0.663	1
1H,1H,2H,2H-Perfluorodecanesulfonic Acid (8:2FTS)	ND		ng/l	1.99	0.663	1
Perfluorodecanoic Acid (PFDA)	0.914	J	ng/l	1.99	0.663	1
Perfluoroundecanoic Acid (PFUnA)	ND		ng/l	1.99	0.663	1
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	ND		ng/l	1.99	0.663	1
Perfluorododecanoic Acid (PFDoA)	ND		ng/l	1.99	0.663	1

Project Name: DYKEER WATER

Lab Number: L2261019

Project Number: 5920065

Report Date: 12/08/22

SAMPLE RESULTS

Lab ID: L2261019-01

Date Collected: 10/30/22 04:30

Client ID: WELL 1

Date Received: 11/01/22

Sample Location: Not Specified

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by EPA 533 - Mansfield Lab						
Surrogate (Extracted Internal Standard)			% Recovery	Qualifier	Acceptance Criteria	
Perfluoro[13C4]Butanoic Acid (MPFBA)			111		50-200	
Perfluoro[13C5]Pentanoic Acid (M5PFPEA)			104		50-200	
Perfluoro[2,3,4-13C3]Butanesulfonic Acid (M3PFBS)			114		50-200	
1H,1H,2H,2H-Perfluoro[1,2-13C2]Hexanesulfonic Acid (M2-4:2FTS)			110		50-200	
Perfluoro[1,2,3,4,6-13C5]Hexanoic Acid (M5PFHxA)			105		50-200	
Perfluoro[1,2,3,4-13C4]Heptanoic Acid (M4PFHpA)			101		50-200	
Perfluoro[1,2,3-13C3]Hexanesulfonic Acid (M3PFHxS)			112		50-200	
Perfluoro[13C8]Octanoic Acid (M8PFOA)			102		50-200	
1H,1H,2H,2H-Perfluoro[1,2-13C2]Octanesulfonic Acid (M2-6:2FTS)			103		50-200	
Perfluoro[13C9]Nonanoic Acid (M9PFNA)			97		50-200	
Perfluoro[13C8]Octanesulfonic Acid (M8PFOS)			113		50-200	
Perfluoro[1,2,3,4,5,6-13C6]Decanoic Acid (M6PFDA)			111		50-200	
1H,1H,2H,2H-Perfluoro[1,2-13C2]Decanesulfonic Acid (M2-8:2FTS)			107		50-200	
Perfluoro[1,2,3,4,5,6,7-13C7]Undecanoic Acid (M7-PFUDA)			103		50-200	
Perfluoro[1,2-13C2]Dodecanoic Acid (MPFDOA)			104		50-200	
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3-Heptafluoropropoxy]-13C3-Propanoic Acid (M3HFPO-DA)			101		50-200	

Project Name: DYKEER WATER
Project Number: 5920065

Lab Number: L2261019
Report Date: 12/08/22

SAMPLE RESULTS

Lab ID: L2261019-02
 Client ID: WELL 3
 Sample Location: Not Specified

Date Collected: 10/30/22 04:35
 Date Received: 11/01/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Dw
 Analytical Method: 136,533
 Analytical Date: 11/11/22 15:05
 Analyst: LV

Extraction Method: EPA 533
 Extraction Date: 11/10/22 17:38

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by EPA 533 - Mansfield Lab						
Perfluorobutanoic Acid (PFBA)	6.95		ng/l	1.82	0.608	1
Perfluoro-3-Methoxypropanoic Acid (PFMPA)	ND		ng/l	1.82	0.608	1
Perfluoropentanoic Acid (PFPeA)	11.4		ng/l	1.82	0.608	1
Perfluorobutanesulfonic Acid (PFBS)	6.22		ng/l	1.82	0.608	1
Perfluoro-4-Methoxybutanoic Acid (PFMBA)	ND		ng/l	1.82	0.608	1
Perfluoro(2-Ethoxyethane)Sulfonic Acid (PFEESA)	ND		ng/l	1.82	0.608	1
Nonafluoro-3,6-Dioxaheptanoic Acid (NFDHA)	ND		ng/l	1.82	0.608	1
1H,1H,2H,2H-Perfluorohexanesulfonic Acid (4:2FTS)	ND		ng/l	1.82	0.608	1
Perfluorohexanoic Acid (PFHxA)	10.6		ng/l	1.82	0.608	1
Perfluoropentanesulfonic Acid (PFPeS)	ND		ng/l	1.82	0.608	1
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3-Heptafluoropropoxy]-Propanoic Acid (HFPO-DA)	ND		ng/l	1.82	0.608	1
Perfluoroheptanoic Acid (PFHpA)	4.22		ng/l	1.82	0.608	1
Perfluorohexanesulfonic Acid (PFHxS)	2.11		ng/l	1.82	0.608	1
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	ND		ng/l	1.82	0.608	1
1H,1H,2H,2H-Perfluorooctanesulfonic Acid (6:2FTS)	ND		ng/l	1.82	0.608	1
Perfluorooctanoic Acid (PFOA)	14.6		ng/l	1.82	0.608	1
Perfluoroheptanesulfonic Acid (PFHpS)	ND		ng/l	1.82	0.608	1
Perfluorononanoic Acid (PFNA)	0.837	J	ng/l	1.82	0.608	1
Perfluorooctanesulfonic Acid (PFOS)	10.5		ng/l	1.82	0.608	1
9-Chlorohexadecafluoro-3-Oxanonone-1-Sulfonic Acid (9Cl-PF3ONS)	ND		ng/l	1.82	0.608	1
1H,1H,2H,2H-Perfluorodecanesulfonic Acid (8:2FTS)	ND		ng/l	1.82	0.608	1
Perfluorodecanoic Acid (PFDA)	ND		ng/l	1.82	0.608	1
Perfluoroundecanoic Acid (PFUnA)	ND		ng/l	1.82	0.608	1
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	ND		ng/l	1.82	0.608	1
Perfluorododecanoic Acid (PFDoA)	ND		ng/l	1.82	0.608	1

Project Name: DYKEER WATER

Lab Number: L2261019

Project Number: 5920065

Report Date: 12/08/22

SAMPLE RESULTS

Lab ID: L2261019-02

Date Collected: 10/30/22 04:35

Client ID: WELL 3

Date Received: 11/01/22

Sample Location: Not Specified

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by EPA 533 - Mansfield Lab						
Surrogate (Extracted Internal Standard)			% Recovery	Qualifier	Acceptance Criteria	
Perfluoro[13C4]Butanoic Acid (MPFBA)			106		50-200	
Perfluoro[13C5]Pentanoic Acid (M5PFPEA)			103		50-200	
Perfluoro[2,3,4-13C3]Butanesulfonic Acid (M3PFBS)			113		50-200	
1H,1H,2H,2H-Perfluoro[1,2-13C2]Hexanesulfonic Acid (M2-4:2FTS)			111		50-200	
Perfluoro[1,2,3,4,6-13C5]Hexanoic Acid (M5PFHxA)			103		50-200	
Perfluoro[1,2,3,4-13C4]Heptanoic Acid (M4PFHpA)			98		50-200	
Perfluoro[1,2,3-13C3]Hexanesulfonic Acid (M3PFHxS)			110		50-200	
Perfluoro[13C8]Octanoic Acid (M8PFOA)			99		50-200	
1H,1H,2H,2H-Perfluoro[1,2-13C2]Octanesulfonic Acid (M2-6:2FTS)			106		50-200	
Perfluoro[13C9]Nonanoic Acid (M9PFNA)			91		50-200	
Perfluoro[13C8]Octanesulfonic Acid (M8PFOS)			114		50-200	
Perfluoro[1,2,3,4,5,6-13C6]Decanoic Acid (M6PFDA)			104		50-200	
1H,1H,2H,2H-Perfluoro[1,2-13C2]Decanesulfonic Acid (M2-8:2FTS)			105		50-200	
Perfluoro[1,2,3,4,5,6,7-13C7]Undecanoic Acid (M7-PFUDA)			97		50-200	
Perfluoro[1,2-13C2]Dodecanoic Acid (MPFDOA)			97		50-200	
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3-Heptafluoropropoxy]-13C3-Propanoic Acid (M3HFPO-DA)			100		50-200	

Project Name: DYKEER WATER
Project Number: 5920065

Lab Number: L2261019
Report Date: 12/08/22

SAMPLE RESULTS

Lab ID: L2261019-03
 Client ID: WELL 4
 Sample Location: Not Specified

Date Collected: 10/30/22 04:40
 Date Received: 11/01/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Dw
 Analytical Method: 136,533
 Analytical Date: 11/11/22 15:22
 Analyst: LV

Extraction Method: EPA 533
 Extraction Date: 11/10/22 17:38

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by EPA 533 - Mansfield Lab						
Perfluorobutanoic Acid (PFBA)	9.98		ng/l	1.84	0.615	1
Perfluoro-3-Methoxypropanoic Acid (PFMPA)	ND		ng/l	1.84	0.615	1
Perfluoropentanoic Acid (PFPeA)	20.2		ng/l	1.84	0.615	1
Perfluorobutanesulfonic Acid (PFBS)	8.65		ng/l	1.84	0.615	1
Perfluoro-4-Methoxybutanoic Acid (PFMBA)	ND		ng/l	1.84	0.615	1
Perfluoro(2-Ethoxyethane)Sulfonic Acid (PFEESA)	ND		ng/l	1.84	0.615	1
Nonafluoro-3,6-Dioxaheptanoic Acid (NFDHA)	ND		ng/l	1.84	0.615	1
1H,1H,2H,2H-Perfluorohexanesulfonic Acid (4:2FTS)	ND		ng/l	1.84	0.615	1
Perfluorohexanoic Acid (PFHxA)	17.2		ng/l	1.84	0.615	1
Perfluoropentanesulfonic Acid (PFPeS)	ND		ng/l	1.84	0.615	1
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3-Heptafluoropropoxy]-Propanoic Acid (HFPO-DA)	ND		ng/l	1.84	0.615	1
Perfluoroheptanoic Acid (PFHpA)	6.89		ng/l	1.84	0.615	1
Perfluorohexanesulfonic Acid (PFHxS)	2.76		ng/l	1.84	0.615	1
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	ND		ng/l	1.84	0.615	1
1H,1H,2H,2H-Perfluorooctanesulfonic Acid (6:2FTS)	ND		ng/l	1.84	0.615	1
Perfluorooctanoic Acid (PFOA)	19.8		ng/l	1.84	0.615	1
Perfluoroheptanesulfonic Acid (PFHpS)	ND		ng/l	1.84	0.615	1
Perfluorononanoic Acid (PFNA)	1.22	J	ng/l	1.84	0.615	1
Perfluorooctanesulfonic Acid (PFOS)	14.2		ng/l	1.84	0.615	1
9-Chlorohexadecafluoro-3-Oxanonone-1-Sulfonic Acid (9Cl-PF3ONS)	ND		ng/l	1.84	0.615	1
1H,1H,2H,2H-Perfluorodecanesulfonic Acid (8:2FTS)	ND		ng/l	1.84	0.615	1
Perfluorodecanoic Acid (PFDA)	0.663	J	ng/l	1.84	0.615	1
Perfluoroundecanoic Acid (PFUnA)	ND		ng/l	1.84	0.615	1
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	ND		ng/l	1.84	0.615	1
Perfluorododecanoic Acid (PFDoA)	ND		ng/l	1.84	0.615	1

Project Name: DYKEER WATER**Lab Number:** L2261019**Project Number:** 5920065**Report Date:** 12/08/22**SAMPLE RESULTS**

Lab ID: L2261019-03

Date Collected: 10/30/22 04:40

Client ID: WELL 4

Date Received: 11/01/22

Sample Location: Not Specified

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by EPA 533 - Mansfield Lab						
Surrogate (Extracted Internal Standard)			% Recovery	Qualifier	Acceptance Criteria	
Perfluoro[13C4]Butanoic Acid (MPFBA)			114		50-200	
Perfluoro[13C5]Pentanoic Acid (M5PFPEA)			111		50-200	
Perfluoro[2,3,4-13C3]Butanesulfonic Acid (M3PFBS)			116		50-200	
1H,1H,2H,2H-Perfluoro[1,2-13C2]Hexanesulfonic Acid (M2-4:2FTS)			111		50-200	
Perfluoro[1,2,3,4,6-13C5]Hexanoic Acid (M5PFHxA)			111		50-200	
Perfluoro[1,2,3,4-13C4]Heptanoic Acid (M4PFHpA)			111		50-200	
Perfluoro[1,2,3-13C3]Hexanesulfonic Acid (M3PFHxS)			114		50-200	
Perfluoro[13C8]Octanoic Acid (M8PFOA)			109		50-200	
1H,1H,2H,2H-Perfluoro[1,2-13C2]Octanesulfonic Acid (M2-6:2FTS)			107		50-200	
Perfluoro[13C9]Nonanoic Acid (M9PFNA)			108		50-200	
Perfluoro[13C8]Octanesulfonic Acid (M8PFOS)			115		50-200	
Perfluoro[1,2,3,4,5,6-13C6]Decanoic Acid (M6PFDA)			114		50-200	
1H,1H,2H,2H-Perfluoro[1,2-13C2]Decanesulfonic Acid (M2-8:2FTS)			109		50-200	
Perfluoro[1,2,3,4,5,6,7-13C7]Undecanoic Acid (M7-PFUDA)			107		50-200	
Perfluoro[1,2-13C2]Dodecanoic Acid (MPFDOA)			110		50-200	
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3-Heptafluoropropoxy]-13C3-Propanoic Acid (M3HFPO-DA)			110		50-200	

Project Name: DYKEER WATER
Project Number: 5920065

Lab Number: L2261019
Report Date: 12/08/22

SAMPLE RESULTS

Lab ID: L2261019-04
Client ID: ENTRY POINT
Sample Location: Not Specified

Date Collected: 10/30/22 04:50
Date Received: 11/01/22
Field Prep: Not Specified

Sample Depth:

Matrix: Dw
Analytical Method: 136,533
Analytical Date: 11/11/22 15:31
Analyst: LV

Extraction Method: EPA 533
Extraction Date: 11/10/22 17:38

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by EPA 533 - Mansfield Lab						
Perfluorobutanoic Acid (PFBA)	6.00		ng/l	1.81	0.604	1
Perfluoro-3-Methoxypropanoic Acid (PFMPA)	ND		ng/l	1.81	0.604	1
Perfluoropentanoic Acid (PFPeA)	8.72		ng/l	1.81	0.604	1
Perfluorobutanesulfonic Acid (PFBS)	4.41		ng/l	1.81	0.604	1
Perfluoro-4-Methoxybutanoic Acid (PFMBA)	ND		ng/l	1.81	0.604	1
Perfluoro(2-Ethoxyethane)Sulfonic Acid (PFEESA)	ND		ng/l	1.81	0.604	1
Nonafluoro-3,6-Dioxaheptanoic Acid (NFDHA)	ND		ng/l	1.81	0.604	1
1H,1H,2H,2H-Perfluorohexanesulfonic Acid (4:2FTS)	ND		ng/l	1.81	0.604	1
Perfluorohexanoic Acid (PFHxA)	7.38		ng/l	1.81	0.604	1
Perfluoropentanesulfonic Acid (PFPeS)	ND		ng/l	1.81	0.604	1
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3-Heptafluoropropoxy]-Propanoic Acid (HFPO-DA)	ND		ng/l	1.81	0.604	1
Perfluoroheptanoic Acid (PFHpA)	3.69		ng/l	1.81	0.604	1
Perfluorohexanesulfonic Acid (PFHxS)	1.26	J	ng/l	1.81	0.604	1
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	ND		ng/l	1.81	0.604	1
1H,1H,2H,2H-Perfluorooctanesulfonic Acid (6:2FTS)	ND		ng/l	1.81	0.604	1
Perfluorooctanoic Acid (PFOA)	10.1		ng/l	1.81	0.604	1
Perfluoroheptanesulfonic Acid (PFHpS)	ND		ng/l	1.81	0.604	1
Perfluorononanoic Acid (PFNA)	0.796	J	ng/l	1.81	0.604	1
Perfluorooctanesulfonic Acid (PFOS)	5.71		ng/l	1.81	0.604	1
9-Chlorohexadecafluoro-3-Oxanonone-1-Sulfonic Acid (9Cl-PF3ONS)	ND		ng/l	1.81	0.604	1
1H,1H,2H,2H-Perfluorodecanesulfonic Acid (8:2FTS)	ND		ng/l	1.81	0.604	1
Perfluorodecanoic Acid (PFDA)	ND		ng/l	1.81	0.604	1
Perfluoroundecanoic Acid (PFUnA)	ND		ng/l	1.81	0.604	1
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	ND		ng/l	1.81	0.604	1
Perfluorododecanoic Acid (PFDoA)	ND		ng/l	1.81	0.604	1

Project Name: DYKEER WATER
Project Number: 5920065

Lab Number: L2261019
Report Date: 12/08/22

SAMPLE RESULTS

Lab ID: L2261019-04
 Client ID: ENTRY POINT
 Sample Location: Not Specified

Date Collected: 10/30/22 04:50
 Date Received: 11/01/22
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by EPA 533 - Mansfield Lab						
Surrogate (Extracted Internal Standard)			% Recovery	Qualifier	Acceptance Criteria	
Perfluoro[13C4]Butanoic Acid (MPFBA)			109		50-200	
Perfluoro[13C5]Pentanoic Acid (M5PFPEA)			102		50-200	
Perfluoro[2,3,4-13C3]Butanesulfonic Acid (M3PFBS)			110		50-200	
1H,1H,2H,2H-Perfluoro[1,2-13C2]Hexanesulfonic Acid (M2-4:2FTS)			117		50-200	
Perfluoro[1,2,3,4,6-13C5]Hexanoic Acid (M5PFHxA)			106		50-200	
Perfluoro[1,2,3,4-13C4]Heptanoic Acid (M4PFHpA)			104		50-200	
Perfluoro[1,2,3-13C3]Hexanesulfonic Acid (M3PFHxS)			114		50-200	
Perfluoro[13C8]Octanoic Acid (M8PFOA)			103		50-200	
1H,1H,2H,2H-Perfluoro[1,2-13C2]Octanesulfonic Acid (M2-6:2FTS)			108		50-200	
Perfluoro[13C9]Nonanoic Acid (M9PFNA)			103		50-200	
Perfluoro[13C8]Octanesulfonic Acid (M8PFOS)			109		50-200	
Perfluoro[1,2,3,4,5,6-13C6]Decanoic Acid (M6PFDA)			104		50-200	
1H,1H,2H,2H-Perfluoro[1,2-13C2]Decanesulfonic Acid (M2-8:2FTS)			103		50-200	
Perfluoro[1,2,3,4,5,6,7-13C7]Undecanoic Acid (M7-PFUDA)			106		50-200	
Perfluoro[1,2-13C2]Dodecanoic Acid (MPFDOA)			106		50-200	
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3-Heptafluoropropoxy]-13C3-Propanoic Acid (M3HFPO-DA)			100		50-200	

Project Name: DYKEER WATER
Project Number: 5920065

Lab Number: L2261019
Report Date: 12/08/22

SAMPLE RESULTS

Lab ID: L2261019-05
 Client ID: FIELD BLANK
 Sample Location: Not Specified

Date Collected: 10/30/22 05:00
 Date Received: 11/01/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Dw
 Analytical Method: 136,533
 Analytical Date: 11/11/22 15:40
 Analyst: LV

Extraction Method: EPA 533
 Extraction Date: 11/10/22 17:38

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by EPA 533 - Mansfield Lab						
Perfluorobutanoic Acid (PFBA)	ND		ng/l	1.84	0.615	1
Perfluoro-3-Methoxypropanoic Acid (PFMPA)	ND		ng/l	1.84	0.615	1
Perfluoropentanoic Acid (PFPeA)	ND		ng/l	1.84	0.615	1
Perfluorobutanesulfonic Acid (PFBS)	ND		ng/l	1.84	0.615	1
Perfluoro-4-Methoxybutanoic Acid (PFMBA)	ND		ng/l	1.84	0.615	1
Perfluoro(2-Ethoxyethane)Sulfonic Acid (PFEESA)	ND		ng/l	1.84	0.615	1
Nonafluoro-3,6-Dioxaheptanoic Acid (NFDHA)	ND		ng/l	1.84	0.615	1
1H,1H,2H,2H-Perfluorohexanesulfonic Acid (4:2FTS)	ND		ng/l	1.84	0.615	1
Perfluorohexanoic Acid (PFHxA)	ND		ng/l	1.84	0.615	1
Perfluoropentanesulfonic Acid (PFPeS)	ND		ng/l	1.84	0.615	1
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3-Heptafluoropropoxy]-Propanoic Acid (HFPO-DA)	ND		ng/l	1.84	0.615	1
Perfluoroheptanoic Acid (PFHpA)	ND		ng/l	1.84	0.615	1
Perfluorohexanesulfonic Acid (PFHxS)	ND		ng/l	1.84	0.615	1
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	ND		ng/l	1.84	0.615	1
1H,1H,2H,2H-Perfluorooctanesulfonic Acid (6:2FTS)	ND		ng/l	1.84	0.615	1
Perfluorooctanoic Acid (PFOA)	ND		ng/l	1.84	0.615	1
Perfluoroheptanesulfonic Acid (PFHpS)	ND		ng/l	1.84	0.615	1
Perfluorononanoic Acid (PFNA)	ND		ng/l	1.84	0.615	1
Perfluorooctanesulfonic Acid (PFOS)	ND		ng/l	1.84	0.615	1
9-Chlorohexadecafluoro-3-Oxanonone-1-Sulfonic Acid (9Cl-PF3ONS)	ND		ng/l	1.84	0.615	1
1H,1H,2H,2H-Perfluorodecanesulfonic Acid (8:2FTS)	ND		ng/l	1.84	0.615	1
Perfluorodecanoic Acid (PFDA)	ND		ng/l	1.84	0.615	1
Perfluoroundecanoic Acid (PFUnA)	ND		ng/l	1.84	0.615	1
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	ND		ng/l	1.84	0.615	1
Perfluorododecanoic Acid (PFDoA)	ND		ng/l	1.84	0.615	1

Project Name: DYKEER WATER

Lab Number: L2261019

Project Number: 5920065

Report Date: 12/08/22

SAMPLE RESULTS

Lab ID: L2261019-05

Date Collected: 10/30/22 05:00

Client ID: FIELD BLANK

Date Received: 11/01/22

Sample Location: Not Specified

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by EPA 533 - Mansfield Lab						
Surrogate (Extracted Internal Standard)						Acceptance Criteria
Perfluoro[13C4]Butanoic Acid (MPFBA)			84			50-200
Perfluoro[13C5]Pentanoic Acid (M5PFPEA)			91			50-200
Perfluoro[2,3,4-13C3]Butanesulfonic Acid (M3PFBS)			119			50-200
1H,1H,2H,2H-Perfluoro[1,2-13C2]Hexanesulfonic Acid (M2-4:2FTS)			103			50-200
Perfluoro[1,2,3,4,6-13C5]Hexanoic Acid (M5PFHxA)			97			50-200
Perfluoro[1,2,3,4-13C4]Heptanoic Acid (M4PFHpA)			99			50-200
Perfluoro[1,2,3-13C3]Hexanesulfonic Acid (M3PFHxS)			121			50-200
Perfluoro[13C8]Octanoic Acid (M8PFOA)			99			50-200
1H,1H,2H,2H-Perfluoro[1,2-13C2]Octanesulfonic Acid (M2-6:2FTS)			105			50-200
Perfluoro[13C9]Nonanoic Acid (M9PFNA)			106			50-200
Perfluoro[13C8]Octanesulfonic Acid (M8PFOS)			116			50-200
Perfluoro[1,2,3,4,5,6-13C6]Decanoic Acid (M6PFDA)			109			50-200
1H,1H,2H,2H-Perfluoro[1,2-13C2]Decanesulfonic Acid (M2-8:2FTS)			102			50-200
Perfluoro[1,2,3,4,5,6,7-13C7]Undecanoic Acid (M7-PFUDA)			111			50-200
Perfluoro[1,2-13C2]Dodecanoic Acid (MPFDOA)			111			50-200
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3-Heptafluoropropoxy]-13C3-Propanoic Acid (M3HFPO-DA)			90			50-200

Project Name: DYKEER WATER
Project Number: 5920065

Lab Number: L2261019
Report Date: 12/08/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 136,533
Analytical Date: 11/11/22 14:30
Analyst: LV

Extraction Method: EPA 533
Extraction Date: 11/10/22 17:38

Parameter	Result	Qualifier	Units	RL	MDL
Perfluorinated Alkyl Acids by EPA 533 - Mansfield Lab for sample(s): 01-05 Batch: WG1710765-1					
Perfluorobutanoic Acid (PFBA)	ND		ng/l	2.00	0.668
Perfluoro-3-Methoxypropanoic Acid (PFMPA)	ND		ng/l	2.00	0.668
Perfluoropentanoic Acid (PFPeA)	ND		ng/l	2.00	0.668
Perfluorobutanesulfonic Acid (PFBS)	ND		ng/l	2.00	0.668
Perfluoro-4-Methoxybutanoic Acid (PFMBA)	ND		ng/l	2.00	0.668
Perfluoro(2-Ethoxyethane)Sulfonic Acid (PFEEESA)	ND		ng/l	2.00	0.668
Nonafluoro-3,6-Dioxaheptanoic Acid (NFDHA)	ND		ng/l	2.00	0.668
1H,1H,2H,2H-Perfluorohexanesulfonic Acid (4:2FTS)	ND		ng/l	2.00	0.668
Perfluorohexanoic Acid (PFHxA)	ND		ng/l	2.00	0.668
Perfluoropentanesulfonic Acid (PFPeS)	ND		ng/l	2.00	0.668
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3-Heptafluoropropoxy]-Propanoic Acid (HFPO-DA)	ND		ng/l	2.00	0.668
Perfluoroheptanoic Acid (PFHpA)	ND		ng/l	2.00	0.668
Perfluorohexanesulfonic Acid (PFHxS)	ND		ng/l	2.00	0.668
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	ND		ng/l	2.00	0.668
1H,1H,2H,2H-Perfluorooctanesulfonic Acid (6:2FTS)	ND		ng/l	2.00	0.668
Perfluorooctanoic Acid (PFOA)	ND		ng/l	2.00	0.668
Perfluoroheptanesulfonic Acid (PFHpS)	ND		ng/l	2.00	0.668
Perfluorononanoic Acid (PFNA)	ND		ng/l	2.00	0.668
Perfluorooctanesulfonic Acid (PFOS)	ND		ng/l	2.00	0.668
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid (9Cl-PF3ONS)	ND		ng/l	2.00	0.668
1H,1H,2H,2H-Perfluorodecanesulfonic Acid (8:2FTS)	ND		ng/l	2.00	0.668
Perfluorodecanoic Acid (PFDA)	ND		ng/l	2.00	0.668
Perfluoroundecanoic Acid (PFUnA)	ND		ng/l	2.00	0.668
11-Chloroeicosafuoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	ND		ng/l	2.00	0.668
Perfluorododecanoic Acid (PFDoA)	ND		ng/l	2.00	0.668

Project Name: DYKEER WATER
Project Number: 5920065

Lab Number: L2261019
Report Date: 12/08/22

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 136,533
Analytical Date: 11/11/22 14:30
Analyst: LV

Extraction Method: EPA 533
Extraction Date: 11/10/22 17:38

Parameter	Result	Qualifier	Units	RL	MDL
Perfluorinated Alkyl Acids by EPA 533 - Mansfield Lab for sample(s): 01-05 Batch: WG1710765-1					

Surrogate (Extracted Internal Standard)	%Recovery	Qualifier	Acceptance Criteria
Perfluoro[13C4]Butanoic Acid (MPFBA)	107		50-200
Perfluoro[13C5]Pentanoic Acid (M5PFPEA)	105		50-200
Perfluoro[2,3,4-13C3]Butanesulfonic Acid (M3PFBS)	110		50-200
1H,1H,2H,2H-Perfluoro[1,2-13C2]Hexanesulfonic Acid (M2-4:2FTS)	95		50-200
Perfluoro[1,2,3,4,6-13C5]Hexanoic Acid (M5PFHxA)	107		50-200
Perfluoro[1,2,3,4-13C4]Heptanoic Acid (M4PFHpA)	106		50-200
Perfluoro[1,2,3-13C3]Hexanesulfonic Acid (M3PFHxS)	107		50-200
Perfluoro[13C8]Octanoic Acid (M8PFOA)	109		50-200
1H,1H,2H,2H-Perfluoro[1,2-13C2]Octanesulfonic Acid (M2-6:2FTS)	95		50-200
Perfluoro[13C9]Nonanoic Acid (M9PFNA)	107		50-200
Perfluoro[13C8]Octanesulfonic Acid (M8PFOS)	112		50-200
Perfluoro[1,2,3,4,5,6-13C6]Decanoic Acid (M6PFDA)	116		50-200
1H,1H,2H,2H-Perfluoro[1,2-13C2]Decanesulfonic Acid (M2-8:2FTS)	98		50-200
Perfluoro[1,2,3,4,5,6,7-13C7]Undecanoic Acid (M7-PFUDA)	112		50-200
Perfluoro[1,2-13C2]Dodecanoic Acid (MPFDOA)	109		50-200
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3-Heptafluoropropoxy]-13C3-Propanoic Acid (M3HFPO-DA)	106		50-200

Lab Control Sample Analysis

Batch Quality Control

Project Name: DYKEER WATER

Lab Number: L2261019

Project Number: 5920065

Report Date: 12/08/22

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Perfluorinated Alkyl Acids by EPA 533 - Mansfield Lab Associated sample(s): 01-05 Batch: WG1710765-2								
Perfluorobutanoic Acid (PFBA)	103		-		70-130	-		30
Perfluoro-3-Methoxypropanoic Acid (PFMPA)	103		-		70-130	-		30
Perfluoropentanoic Acid (PFPeA)	105		-		70-130	-		30
Perfluorobutanesulfonic Acid (PFBS)	101		-		70-130	-		30
Perfluoro-4-Methoxybutanoic Acid (PFMBA)	104		-		70-130	-		30
Perfluoro(2-Ethoxyethane)Sulfonic Acid (PFEEESA)	100		-		70-130	-		30
Nonafluoro-3,6-Dioxaheptanoic Acid (NFDHA)	104		-		70-130	-		30
1H,1H,2H,2H-Perfluorohexanesulfonic Acid (4:2FTS)	113		-		70-130	-		30
Perfluorohexanoic Acid (PFHxA)	106		-		70-130	-		30
Perfluoropentanesulfonic Acid (PFPeS)	105		-		70-130	-		30
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3-Heptafluoropropoxy]-Propanoic Acid (HFPO-DA)	103		-		70-130	-		30
Perfluoroheptanoic Acid (PFHpA)	107		-		70-130	-		30
Perfluorohexanesulfonic Acid (PFHxS)	101		-		70-130	-		30
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	99		-		70-130	-		30
1H,1H,2H,2H-Perfluorooctanesulfonic Acid (6:2FTS)	113		-		70-130	-		30
Perfluorooctanoic Acid (PFOA)	109		-		70-130	-		30
Perfluoroheptanesulfonic Acid (PFHpS)	104		-		70-130	-		30
Perfluorononanoic Acid (PFNA)	105		-		70-130	-		30
Perfluorooctanesulfonic Acid (PFOS)	100		-		70-130	-		30
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid (9Cl-PF3ONS)	108		-		70-130	-		30
1H,1H,2H,2H-Perfluorodecanesulfonic Acid (8:2FTS)	110		-		70-130	-		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: DYKEER WATER

Lab Number: L2261019

Project Number: 5920065

Report Date: 12/08/22

Parameter	LCS		LCSD		%Recovery		RPD	RPD	
	%Recovery	Qual	%Recovery	Qual	Limits	Qual		Limits	
Perfluorinated Alkyl Acids by EPA 533 - Mansfield Lab Associated sample(s): 01-05 Batch: WG1710765-2									
Perfluorodecanoic Acid (PFDA)	104		-		70-130		-		30
Perfluoroundecanoic Acid (PFUnA)	107		-		70-130		-		30
11-Chloroeicosafuoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	104		-		70-130		-		30
Perfluorododecanoic Acid (PFDoA)	106		-		70-130		-		30

Surrogate (Extracted Internal Standard)	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
Perfluoro[13C4]Butanoic Acid (MPFBA)	107				50-200
Perfluoro[13C5]Pentanoic Acid (M5PFPEA)	103				50-200
Perfluoro[2,3,4-13C3]Butanesulfonic Acid (M3PFBS)	116				50-200
1H,1H,2H,2H-Perfluoro[1,2-13C2]Hexanesulfonic Acid (M2-4:2FTS)	101				50-200
Perfluoro[1,2,3,4,6-13C5]Hexanoic Acid (M5PFHxA)	105				50-200
Perfluoro[1,2,3,4-13C4]Heptanoic Acid (M4PFHpA)	103				50-200
Perfluoro[1,2,3-13C3]Hexanesulfonic Acid (M3PFHxS)	112				50-200
Perfluoro[13C8]Octanoic Acid (M8PFOA)	106				50-200
1H,1H,2H,2H-Perfluoro[1,2-13C2]Octanesulfonic Acid (M2-6:2FTS)	101				50-200
Perfluoro[13C9]Nonanoic Acid (M9PFNA)	104				50-200
Perfluoro[13C8]Octanesulfonic Acid (M8PFOS)	114				50-200
Perfluoro[1,2,3,4,5,6-13C6]Decanoic Acid (M6PFDA)	115				50-200
1H,1H,2H,2H-Perfluoro[1,2-13C2]Decanesulfonic Acid (M2-8:2FTS)	108				50-200
Perfluoro[1,2,3,4,5,6,7-13C7]Undecanoic Acid (M7-PFUDA)	109				50-200
Perfluoro[1,2-13C2]Dodecanoic Acid (MPFDOA)	107				50-200
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3-Heptafluoropropoxy]-13C3-Propanoic Acid (M3HFPO-DA)	107				50-200

Matrix Spike Analysis

Batch Quality Control

Project Name: DYKEER WATER

Lab Number: L2261019

Project Number: 5920065

Report Date: 12/08/22

<i>Parameter</i>	<i>Native Sample</i>	<i>MS Added</i>	<i>MS Found</i>	<i>MS %Recovery</i>	<i>Qual</i>	<i>MSD Found</i>	<i>MSD %Recovery</i>	<i>Qual</i>	<i>Recovery Limits</i>	<i>RPD</i>	<i>Qual</i>	<i>RPD Limits</i>
Perfluorinated Alkyl Acids by EPA 533 - Mansfield Lab		Associated sample(s): 01-05			QC Batch ID: WG1710765-3		QC Sample: L2261019-01		Client ID: WELL 1			
Perfluorobutanoic Acid (PFBA)	9.42	41.2	51.3	102	-	-	-	-	70-130	-	-	30
Perfluoro-3-Methoxypropanoic Acid (PFMPA)	ND	41.2	40.1	97	-	-	-	-	70-130	-	-	30
Perfluoropentanoic Acid (PFPeA)	7.43	41.2	50.9	106	-	-	-	-	70-130	-	-	30
Perfluorobutanesulfonic Acid (PFBS)	7.94	36.6	45.3	102	-	-	-	-	70-130	-	-	30
Perfluoro-4-Methoxybutanoic Acid (PFMBA)	ND	41.2	41.4	100	-	-	-	-	70-130	-	-	30
Perfluoro(2-Ethoxyethane)Sulfonic Acid (PFEESA)	ND	36.8	35.8	97	-	-	-	-	70-130	-	-	30
Nonafluoro-3,6-Dioxaheptanoic Acid (NFDHA)	ND	41.2	40.8	99	-	-	-	-	70-130	-	-	30
1H,1H,2H,2H-Perfluorohexanesulfonic Acid (4:2FTS)	ND	38.6	42.8	111	-	-	-	-	70-130	-	-	30
Perfluorohexanoic Acid (PFHxA)	5.28	41.2	47.4	102	-	-	-	-	70-130	-	-	30
Perfluoropentanesulfonic Acid (PFPeS)	ND	38.7	39.1	101	-	-	-	-	70-130	-	-	30
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3-Heptafluoropropoxy]-Propanoic Acid (HFPO-DA)	ND	41.2	42.6	103	-	-	-	-	70-130	-	-	30
Perfluoroheptanoic Acid (PFHpA)	2.38	41.2	47.0	108	-	-	-	-	70-130	-	-	30
Perfluorohexanesulfonic Acid (PFHxS)	2.30	37.6	39.7	100	-	-	-	-	70-130	-	-	30
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	ND	38.9	36.9	95	-	-	-	-	70-130	-	-	30
1H,1H,2H,2H-Perfluorooctanesulfonic Acid (6:2FTS)	ND	39.2	44.1	112	-	-	-	-	70-130	-	-	30
Perfluorooctanoic Acid (PFOA)	8.70	41.2	50.9	102	-	-	-	-	70-130	-	-	30
Perfluoroheptanesulfonic Acid (PFHpS)	ND	39.3	40.7	104	-	-	-	-	70-130	-	-	30
Perfluorononanoic Acid (PFNA)	0.715J	41.2	44.1	107	-	-	-	-	70-130	-	-	30
Perfluorooctanesulfonic Acid (PFOS)	12.9	38.2	50.4	98	-	-	-	-	70-130	-	-	30
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid (9Cl-PF3ONS)	ND	38.5	42.8	111	-	-	-	-	70-130	-	-	30
1H,1H,2H,2H-Perfluorodecanesulfonic Acid (8:2FTS)	ND	39.6	43.7	110	-	-	-	-	70-130	-	-	30
Perfluorodecanoic Acid (PFDA)	0.914J	41.2	43.6	106	-	-	-	-	70-130	-	-	30

Matrix Spike Analysis

Batch Quality Control

Project Name: DYKEER WATER

Lab Number: L2261019

Project Number: 5920065

Report Date: 12/08/22

<i>Parameter</i>	<i>Native Sample</i>	<i>MS Added</i>	<i>MS Found</i>	<i>MS %Recovery</i>	<i>Qual</i>	<i>MSD Found</i>	<i>MSD %Recovery</i>	<i>Qual</i>	<i>Recovery Limits</i>	<i>RPD</i>	<i>Qual</i>	<i>RPD Limits</i>
Perfluorinated Alkyl Acids by EPA 533 - Mansfield Lab Associated sample(s): 01-05 QC Batch ID: WG1710765-3 QC Sample: L2261019-01 Client ID: WELL 1												
Perfluoroundecanoic Acid (PFUnA)	ND	41.2	43.2	105		-	-		70-130	-		30
11-Chloroeicosafuoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	ND	38.9	40.2	103		-	-		70-130	-		30
Perfluorododecanoic Acid (PFDoA)	ND	41.2	43.7	106		-	-		70-130	-		30

<i>Surrogate (Extracted Internal Standard)</i>	<i>MS % Recovery</i>	<i>Qualifier</i>	<i>MSD % Recovery</i>	<i>Qualifier</i>	<i>Acceptance Criteria</i>
1H,1H,2H,2H-Perfluoro[1,2-13C2]Decanesulfonic Acid (M2-8:2FTS)	100				50-200
1H,1H,2H,2H-Perfluoro[1,2-13C2]Hexanesulfonic Acid (M2-4:2FTS)	107				50-200
1H,1H,2H,2H-Perfluoro[1,2-13C2]Octanesulfonic Acid (M2-6:2FTS)	100				50-200
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3-Heptafluoropropoxy]-13C3-Propanoic Acid (M3HFPO-DA)	96				50-200
Perfluoro[1,2,3,4,5,6,7-13C7]Undecanoic Acid (M7-PFUDA)	98				50-200
Perfluoro[1,2,3,4,5,6-13C6]Decanoic Acid (M6PFDA)	95				50-200
Perfluoro[1,2,3,4,6-13C5]Hexanoic Acid (M5PFHxA)	96				50-200
Perfluoro[1,2,3,4-13C4]Heptanoic Acid (M4PFHpA)	93				50-200
Perfluoro[1,2,3-13C3]Hexanesulfonic Acid (M3PFHxS)	106				50-200
Perfluoro[1,2-13C2]Dodecanoic Acid (MPFDOA)	95				50-200
Perfluoro[13C4]Butanoic Acid (MPFBA)	102				50-200
Perfluoro[13C5]Pentanoic Acid (M5PFPEA)	97				50-200
Perfluoro[13C8]Octanesulfonic Acid (M8PFOS)	106				50-200
Perfluoro[13C8]Octanoic Acid (M8PFOA)	96				50-200
Perfluoro[13C9]Nonanoic Acid (M9PFNA)	91				50-200
Perfluoro[2,3,4-13C3]Butanesulfonic Acid (M3PFBS)	109				50-200

Lab Duplicate Analysis

Batch Quality Control

Project Name: DYKEER WATER

Project Number: 5920065

Lab Number: L2261019

Report Date: 12/08/22

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Perfluorinated Alkyl Acids by EPA 533 - Mansfield Lab Associated sample(s): 01-05 QC Batch ID: WG1710765-4 QC Sample: L2261019-02 Client ID: WELL 3						
Perfluorobutanoic Acid (PFBA)	6.95	7.13	ng/l	3		30
Perfluoro-3-Methoxypropanoic Acid (PFMPA)	ND	ND	ng/l	NC		30
Perfluoropentanoic Acid (PFPeA)	11.4	11.4	ng/l	0		30
Perfluorobutanesulfonic Acid (PFBS)	6.22	6.15	ng/l	1		30
Perfluoro-4-Methoxybutanoic Acid (PFMBA)	ND	ND	ng/l	NC		30
Perfluoro(2-Ethoxyethane)Sulfonic Acid (PFEESA)	ND	ND	ng/l	NC		30
Nonafluoro-3,6-Dioxaheptanoic Acid (NFDHA)	ND	ND	ng/l	NC		30
1H,1H,2H,2H-Perfluorohexanesulfonic Acid (4:2FTS)	ND	ND	ng/l	NC		30
Perfluorohexanoic Acid (PFHxA)	10.6	10.5	ng/l	1		30
Perfluoropentanesulfonic Acid (PFPeS)	ND	ND	ng/l	NC		30
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3-Heptafluoropropoxy]-Propanoic Acid (HFPO-DA)	ND	ND	ng/l	NC		30
Perfluoroheptanoic Acid (PFHpA)	4.22	4.19	ng/l	1		30
Perfluorohexanesulfonic Acid (PFHxS)	2.11	2.15	ng/l	2		30
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	ND	ND	ng/l	NC		30
1H,1H,2H,2H-Perfluorooctanesulfonic Acid (6:2FTS)	ND	ND	ng/l	NC		30
Perfluorooctanoic Acid (PFOA)	14.6	14.8	ng/l	1		30
Perfluoroheptanesulfonic Acid (PFHpS)	ND	ND	ng/l	NC		30
Perfluorononanoic Acid (PFNA)	0.837J	0.867J	ng/l	NC		30
Perfluorooctanesulfonic Acid (PFOS)	10.5	11.0	ng/l	5		30
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid (9Cl-PF3ONS)	ND	ND	ng/l	NC		30

Lab Duplicate Analysis

Batch Quality Control

Project Name: DYKEER WATER

Project Number: 5920065

Lab Number: L2261019

Report Date: 12/08/22

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Perfluorinated Alkyl Acids by EPA 533 - Mansfield Lab Associated sample(s): 01-05 QC Batch ID: WG1710765-4 QC Sample: L2261019-02 Client ID: WELL 3						
1H,1H,2H,2H-Perfluorodecanesulfonic Acid (8:2FTS)	ND	ND	ng/l	NC		30
Perfluorodecanoic Acid (PFDA)	ND	ND	ng/l	NC		30
Perfluoroundecanoic Acid (PFUnA)	ND	ND	ng/l	NC		30
11-Chloroeicosafuoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	ND	ND	ng/l	NC		30
Perfluorododecanoic Acid (PFDoA)	ND	ND	ng/l	NC		30

Surrogate (Extracted Internal Standard)	%Recovery	Qualifier	%Recovery	Qualifier	Acceptance Criteria
Perfluoro[13C4]Butanoic Acid (MPFBA)	106		105		50-200
Perfluoro[13C5]Pentanoic Acid (M5PFPEA)	103		104		50-200
Perfluoro[2,3,4-13C3]Butanesulfonic Acid (M3PFBS)	113		115		50-200
1H,1H,2H,2H-Perfluoro[1,2-13C2]Hexanesulfonic Acid (M2-4:2FTS)	111		111		50-200
Perfluoro[1,2,3,4,6-13C5]Hexanoic Acid (M5PFHxA)	103		102		50-200
Perfluoro[1,2,3,4-13C4]Heptanoic Acid (M4PFHpA)	98		95		50-200
Perfluoro[1,2,3-13C3]Hexanesulfonic Acid (M3PFHxS)	110		112		50-200
Perfluoro[13C8]Octanoic Acid (M8PFOA)	99		95		50-200
1H,1H,2H,2H-Perfluoro[1,2-13C2]Octanesulfonic Acid (M2-6:2FTS)	106		103		50-200
Perfluoro[13C9]Nonanoic Acid (M9PFNA)	91		90		50-200
Perfluoro[13C8]Octanesulfonic Acid (M8PFOS)	114		112		50-200
Perfluoro[1,2,3,4,5,6-13C6]Decanoic Acid (M6PFDA)	104		102		50-200
1H,1H,2H,2H-Perfluoro[1,2-13C2]Decanesulfonic Acid (M2-8:2FTS)	105		105		50-200
Perfluoro[1,2,3,4,5,6,7-13C7]Undecanoic Acid (M7-PFUDA)	97		98		50-200
Perfluoro[1,2-13C2]Dodecanoic Acid (MPFDOA)	97		100		50-200
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3-Heptafluoropropoxy]-13C3-Propanoic Acid (M3HFPO-DA)	100		98		50-200

Project Name: DYKEER WATER**Lab Number:** L2261019**Project Number:** 5920065**Report Date:** 12/08/22**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

Cooler Information

Cooler	Custody Seal
A	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2261019-01A	Amber 500ml NaSulfite/NaHSO4 preserved	A	<4	<4	2.4	Y	Absent		CANCELLED()
L2261019-01B	Amber 500ml NaSulfite/NaHSO4 preserved	A	<4	<4	2.4	Y	Absent		CANCELLED()
L2261019-01C	Plastic 250ml Ammonium Acetate preserved	A	NA		2.4	Y	Absent		A2-533(28)
L2261019-01D	Plastic 250ml Ammonium Acetate preserved	A	NA		2.4	Y	Absent		A2-533(28)
L2261019-02A	Amber 500ml NaSulfite/NaHSO4 preserved	A	<4	<4	2.4	Y	Absent		CANCELLED()
L2261019-02B	Amber 500ml NaSulfite/NaHSO4 preserved	A	<4	<4	2.4	Y	Absent		CANCELLED()
L2261019-02C	Plastic 250ml Ammonium Acetate preserved	A	NA		2.4	Y	Absent		A2-533(28)
L2261019-02D	Plastic 250ml Ammonium Acetate preserved	A	NA		2.4	Y	Absent		A2-533(28)
L2261019-03A	Amber 500ml NaSulfite/NaHSO4 preserved	A	<4	<4	2.4	Y	Absent		CANCELLED()
L2261019-03B	Amber 500ml NaSulfite/NaHSO4 preserved	A	<4	<4	2.4	Y	Absent		CANCELLED()
L2261019-03C	Plastic 250ml Ammonium Acetate preserved	A	NA		2.4	Y	Absent		A2-533(28)
L2261019-03D	Plastic 250ml Ammonium Acetate preserved	A	NA		2.4	Y	Absent		A2-533(28)
L2261019-04A	Amber 500ml NaSulfite/NaHSO4 preserved	A	<4	<4	2.4	Y	Absent		CANCELLED()
L2261019-04B	Amber 500ml NaSulfite/NaHSO4 preserved	A	<4	<4	2.4	Y	Absent		CANCELLED()
L2261019-04C	Plastic 250ml Ammonium Acetate preserved	A	NA		2.4	Y	Absent		A2-533(28)
L2261019-04D	Plastic 250ml Ammonium Acetate preserved	A	NA		2.4	Y	Absent		A2-533(28)
L2261019-05A	Plastic 250ml Ammonium Acetate preserved	A	NA		2.4	Y	Absent		A2-533(28)

Project Name: DYKEER WATER
Project Number: 5920065

Serial_No:12082220:23
Lab Number: L2261019
Report Date: 12/08/22

PFAS PARAMETER SUMMARY

Parameter	Acronym	CAS Number
PERFLUOROALKYL CARBOXYLIC ACIDS (PFCAs)		
Perfluorooctadecanoic Acid	PFODA	16517-11-6
Perfluorohexadecanoic Acid	PFHxDA	67905-19-5
Perfluorotetradecanoic Acid	PFTA/PFTeDA	376-06-7
Perfluorotridecanoic Acid	PFTrDA	72629-94-8
Perfluorododecanoic Acid	PFDoA	307-55-1
Perfluoroundecanoic Acid	PFUnA	2058-94-8
Perfluorodecanoic Acid	PFDA	335-76-2
Perfluorononanoic Acid	PFNA	375-95-1
Perfluorooctanoic Acid	PFOA	335-67-1
Perfluoroheptanoic Acid	PFHpA	375-85-9
Perfluorohexanoic Acid	PFHxA	307-24-4
Perfluoropentanoic Acid	PFPeA	2706-90-3
Perfluorobutanoic Acid	PFBA	375-22-4
PERFLUOROALKYL SULFONIC ACIDS (PFSAs)		
Perfluorododecanesulfonic Acid	PFDoDS/PFDoS	79780-39-5
Perfluorodecanesulfonic Acid	PFDS	335-77-3
Perfluorononanesulfonic Acid	PFNS	68259-12-1
Perfluorooctanesulfonic Acid	PFOS	1763-23-1
Perfluoroheptanesulfonic Acid	PFHpS	375-92-8
Perfluorohexanesulfonic Acid	PFHxS	355-46-4
Perfluoropentanesulfonic Acid	PFPeS	2706-91-4
Perfluorobutanesulfonic Acid	PFBS	375-73-5
Perfluoropropanesulfonic Acid	PFPrS	423-41-6
FLUOROTELOMERS		
1H,1H,2H,2H-Perfluorododecanesulfonic Acid	10:2FTS	120226-60-0
1H,1H,2H,2H-Perfluorodecanesulfonic Acid	8:2FTS	39108-34-4
1H,1H,2H,2H-Perfluorooctanesulfonic Acid	6:2FTS	27619-97-2
1H,1H,2H,2H-Perfluorohexanesulfonic Acid	4:2FTS	757124-72-4
PERFLUOROALKANE SULFONAMIDES (FASAs)		
Perfluorooctanesulfonamide	FOSA/PFOSA	754-91-6
N-Ethyl Perfluorooctane Sulfonamide	NEtFOSA	4151-50-2
N-Methyl Perfluorooctane Sulfonamide	NMeFOSA	31506-32-8
PERFLUOROALKANE SULFONYL SUBSTANCES		
N-Ethyl Perfluorooctanesulfonamido Ethanol	NEtFOSE	1691-99-2
N-Methyl Perfluorooctanesulfonamido Ethanol	NMeFOSE	24448-09-7
N-Ethyl Perfluorooctanesulfonamidoacetic Acid	NEtFOSAA	2991-50-6
N-Methyl Perfluorooctanesulfonamidoacetic Acid	NMeFOSAA	2355-31-9
PER- and POLYFLUOROALKYL ETHER CARBOXYLIC ACIDS		
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3-Heptafluoropropoxy]-Propanoic Acid	HFPO-DA	13252-13-6
4,8-Dioxa-3h-Perfluorononanoic Acid	ADONA	919005-14-4
CHLORO-PERFLUOROALKYL SULFONIC ACIDS		
11-Chloroeicosafuoro-3-Oxaundecane-1-Sulfonic Acid	11Cl-PF3OUdS	763051-92-9
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid	9Cl-PF3ONS	756426-58-1
PERFLUOROETHER SULFONIC ACIDS (PFESAs)		
Perfluoro(2-Ethoxyethane)Sulfonic Acid	PFEESA	113507-82-7
PERFLUOROETHER/POLYETHER CARBOXYLIC ACIDS (PFPCAs)		
Perfluoro-3-Methoxypropanoic Acid	PFMPA	377-73-1
Perfluoro-4-Methoxybutanoic Acid	PFMBA	863090-89-5
Nonafluoro-3,6-Dioxaheptanoic Acid	NFDHA	151772-58-6

Project Name: DYKEER WATER
Project Number: 5920065

Serial_No:12082220:23
Lab Number: L2261019
Report Date: 12/08/22

PFAS PARAMETER SUMMARY

Parameter	Acronym	CAS Number
FLUOROTELOMER CARBOXYLIC ACIDS (FTCAs)		
3-Perfluoroheptyl Propanoic Acid	7:3FTCA	812-70-4
2H,2H,3H,3H-Perfluorooctanoic Acid	5:3FTCA	914637-49-3
3-Perfluoropropyl Propanoic Acid	3:3FTCA	356-02-5

Project Name: DYKEER WATER
Project Number: 5920065

Lab Number: L2261019
Report Date: 12/08/22

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers



Project Name: DYKEER WATER
Project Number: 5920065

Lab Number: L2261019
Report Date: 12/08/22

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively

Report Format: DU Report with 'J' Qualifiers



Project Name: DYKEER WATER
Project Number: 5920065

Lab Number: L2261019
Report Date: 12/08/22

Data Qualifiers

Identified Compounds (TICs).

- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Report Format: DU Report with 'J' Qualifiers



Project Name: DYKEER WATER
Project Number: 5920065

Lab Number: L2261019
Report Date: 12/08/22

REFERENCES

- 136 Determination of Per- and Polyfluoroalkyl Substances in Drinking Water by Isotope Dilution Anion Exchange Solid Phase Extraction and Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS). EPA Method 533, EPA Document 815-B-19-020, November 2019.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624/624.1: m/p-xylene, o-xylene, Naphthalene

EPA 625/625.1: alpha-Terpineol

EPA 8260C/8260D: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

EPA 8270D/8270E: NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine, alpha-Terpineol; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.

SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.

Mansfield Facility

SM 2540D: TSS

EPA 8082A: NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,**

EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B

EPA 332: Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, **EPA 350.1:**

Ammonia-N, **LCHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E,**

SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300: Chloride, Sulfate, Nitrate.

EPA 624.1: Volatile Halocarbons & Aromatics,

EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II,

Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603, SM9222D.**

Mansfield Facility:

Drinking Water

EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg.**

EPA 522, EPA 537.1.

Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

EPA 245.1 Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.



NEW YORK CHAIN OF CUSTODY

Westborough, MA 01581
8 Walkup Dr.
TEL: 508-898-9220
FAX: 508-898-9193

Mansfield, MA 02048
320 Forbes Blvd
TEL: 508-822-9300
FAX: 508-822-3288

Service Centers
Mahwah, NJ 07430: 35 Whitney Rd, Suite 5
Albany, NY 12205: 14 Walker Way
Tonawanda, NY 14150: 275 Cooper Ave, Suite 105

Page
of

Date Rec'd in Lab 11/3/22

ALPHA Job # 2261019

Client Information

Client: Environmental consultants
Address: PO Box 3148
Postleypole NY
Phone: 845 486 1030
Fax:
Email:

Project Information

Project Name: Dykeer water
Project Location:
Project # 5920065
(Use Project name as Project #)
Project Manager:
ALPHAQuote #:
Turn-Around Time
Standard Due Date:
Rush (only if pre approved) # of Days:

Deliverables

ASP-A ASP-B
 EQulS (1 File) EQulS (4 File)
 Other

Billing Information

Same as Client Info
PO #

Regulatory Requirement

NY TOGS NY Part 375
 AWQ Standards NY CP-51
 NY Restricted Use Other
 NY Unrestricted Use
 NYC Sewer Discharge

Disposal Site Information

Please identify below location of applicable disposal facilities.
Disposal Facility:
 NJ NY
 Other:

These samples have been previously analyzed by Alpha

Other project specific requirements/comments:

Please specify Metals or TAL.

ANALYSIS

ANALYSIS	533	502 Dioxane								
	*	*								
	*	*								
	*	*								
	*	*								
	*	*								

Sample Filtration

Done
 Lab to do
 Lab to do
(Please Specify below)

Sample Specific Comments

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials	533	502 Dioxane										
		Date	Time														
G1019 -01	well 1		4:30 A	DW	RAK	*	*										
-02	well 3		4:35	DW	RAK	*	*										
-03	well 4		4:40	DW	RAK	*	*										
-04	Entry Point		4:50	DW	RAK	*	*										
-05	Field Blank		5 A		RAK	*	*										

Preservative Code:

- A = None
- B = HCl
- C = HNO₃
- D = H₂SO₄
- E = NaOH
- F = MeOH
- G = NaHSO₄
- H = Na₂S₂O₃
- K/E = Zn Ac/NaOH
- O = Other

Container Code

- P = Plastic
- A = Amber Glass
- V = Vial
- G = Glass
- B = Bacteria Cup
- C = Cube
- O = Other
- E = Encore
- D = BOD Bottle

Westboro: Certification No: MA935
Mansfield: Certification No: MA015

Container Type

Preservative

Relinquished By:	Date/Time	Received By:	Date/Time
Richlone	10/30/22 5 A	[Signature]	11/1/22 19:30
[Signature]	11/1/22 17:40	[Signature]	11/1/22 22:00
[Signature]	11/1/22 23:55	[Signature]	11/1/22 23:55
[Signature]	11/3/22 05:00	R. Mandes	11/3/22 05:00

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS. (See reverse side.)

Total Bottles
 MCL - Air 11/3/22 06:00
 R. Mandes 11/3/22 05:00